09900278 - GAU: 3626

Appln. No. 09/900,278

Office Action dated 03/20/2008

Reply to OA dated 06/19/2008

**AMENDMENTS TO THE CLAIMS** 

This listing of claims will replace all prior versions, and listings, of claims in the

application:

**Listing of Claims:** 

49-62 (cancelled).

63. (New) One or more computer-readable media having computer-usable instructions

embodied thereon for performing a method of clinician disease management, the method

comprising:

creating a current drug therapy plan for a patient using a clinical database;

evaluating the current drug therapy plan based on a relationship between the current drug

therapy plan and at least one of one or more medical conditions associated with the patient and

one or more existing disease states associated with the patient;

assessing the current drug therapy plan based at least in part on the evaluation to

determine whether an intervention is necessary to correct the current drug therapy plan;

constructing an optimization plan to optimize the current drug therapy plan,

wherein the current drug therapy plan is evaluated with one or more clinical queries

including at least one of:

(i) a patient-based query configured to, upon receipt of an identification of

the patient, present one or more possible drug treatments for a diagnosis of the patient and to

provide one or more clinical alerts where the diagnosis of the patient conflicts with one or more

co-existing conditions,

(ii) a disease-based query configured to, upon receipt of an identification of a

disease, present one or more possible drug treatments for a diagnosis,

- 2 -

09900278 - GAU: 3626

Appln. No. 09/900,278

Office Action dated 03/20/2008

Reply to OA dated 06/19/2008

(iii) a drug-based query configured to, upon receipt of an identification of a

drug, present a set of prescribing information associated with the drug,

(iv) a drug-class-based query configured to, upon receipt of an identification of

a drug class, present a set of comparison information associated with one or more drugs in the

drug class, and

(v) an adverse-reaction-based query configured to, upon receipt of an

identification of an adverse reaction, present a set of reaction information associated with one or

more therapeutic classes of drugs.

64. (New) The computer-readable media of claim 63, wherein creating a current drug

therapy plan for a patient using a clinical database comprises:

receiving a selection of the patient from a clinician;

presenting a set of historical drug therapy information associated with the patient;

receiving a selection of a drug from the set of historical drug therapy information;

associating a patient diagnosis with the drug;

automatically calculating dispensing information for the drug based on a set of

administration instructions, a last fill date, a dispensed data, and a remaining quantity;

automatically calculating patient compliance; and

generating a medication planner associated with the patient.

65. (New) The computer-readable media of claim 63, wherein creating a current drug

therapy plan for a patient using a clinical database comprises:

- 3 -

09900278 - GAU: 3626

DO NOT ENTER: /NS/

Appln. No. 09/900,278 Office Action dated 03/20/2008

Reply to OA dated 06/19/2008

receiving a selection of the patient from a clinician, the patient not already existing in the

clinical database;

receiving an identification of a drug in the current drug therapy plan associated with the

patient;

retrieving a set of information associated with the drug using the clinical database;

associating a patient diagnosis with the drug;

receiving a set of prescribed dose and frequency information;

receiving a last fill date, a dispensed date, and a remaining quantity;

automatically calculating patient compliance; and

generating a medication planner associated with the patient.

66. (New) The computer-readable media of claim 63, wherein evaluating the current drug

therapy plan comprises:

retrieving a set of clinical data associated with a drug in the current drug therapy plan

from the clinical database;

checking the drug against one or more allergy conditions associated with the patient and

flagging any detected cross-allergies;

checking the drug's contra-indications against the patient's disease states and flagging

any detected contra-indications;

checking the dose specified for the drug against the recommended dose and flagging any

dosage outside the recommended range;

comparing the drug against other drugs in the current drug therapy plan to determine

whether the drug is a therapeutic duplication;

- 4 -

09900278 - GAU: 3626

Appln. No. 09/900,278

Office Action dated 03/20/2008

Reply to OA dated 06/19/2008

checking a diagnostic profile for the patient for untreated conditions; and

analyzing the current drug therapy plan to determine if there are any drug interactions

between two or more drugs.

67. (New) The computer-readable media of claim 63, wherein assessing the current drug

therapy plan comprises:

presenting to a clinician one or more categories of assessment information,

wherein each category includes a problem description, an intervention documentation, a

recommendation, a response to documentation, and an action date.

68. (New) The computer-readable media of claim 67, wherein the one or more categories of

assessment information include at least one of: (i) untreated medical condition; (ii) drugs without

medical indication; (iii) dosage, route, frequency and therapy duration; (iv) therapeutic

duplication; (v) drug-disease contra-indications; (vi) drug interactions; (vii) drug

allergies/intolerance; (viii) adverse drug reactions; (ix) medication safety efficacy issues; (x)

patient compliance; (xi) patient knowledge/education needs; and (xii) social/financial

considerations.

69. (New) The computer-readable media of claim 63, wherein constructing an optimization

plan to optimize the current drug therapy plan comprises:

receiving a selection of a disease state associated with the patient;

receiving a selection of one or more monitoring parameters;

receiving a statement of the patient's health care needs;

- 5 -

09900278 - GAU: 3626

Appln. No. 09/900,278

Office Action dated 03/20/2008

Reply to OA dated 06/19/2008

receiving a selection setting pharmaceutical goals and recommended optimal therapy for

the patient;

monitoring the outcomes of the optimized drug therapy plan; and

presenting the optimized drug therapy plan.

70. (New) The computer-readable media of claim 69, wherein the one or more monitoring

parameters include at least one of a symptom, a disease issue, a measurement, and an adherence

rating.

71. (New) The computer-readable media of claim 70, wherein construction of the

optimization plan is facilitated using at least one of a care plan template, a care plan protocol, a

communications library, and an online knowledge database.

72. (New) One or more computer-readable media having computer-usable instructions

embodied thereon for performing a method of clinician disease management, the method

comprising:

creating a current drug therapy plan for a patient using a clinical database;

evaluating the current drug therapy plan based on a relationship between the current drug

therapy plan and at least one of one or more medical conditions associated with the patient and

one or more existing disease states associated with the patient using one or more clinical queries;

assessing the current drug therapy plan based at least in part on the evaluation and

determining that an intervention is necessary to correct the current drug therapy plan;

constructing a optimization plan to optimize the current drug therapy plan,

- 6 -

09900278 - GAU: 3626

Appln. No. 09/900,278

Office Action dated 03/20/2008 Reply to OA dated 06/19/2008

wherein the intervention is documented in the clinical database, and

wherein the intervention includes at least one of:

(i) a patient educational intervention for educating the patient about the

patient's medical condition and the current drug therapy plan, and

(ii) a patient compliance intervention for assessing the patient's compliance

with the current drug therapy plan and recommending actions to cure noncompliance.

73. (New) The computer-readable media of claim 72, wherein creating a current drug

therapy plan for a patient using a clinical database comprises:

receiving a selection of the patient from a clinician;

presenting a set of historical drug therapy information associated with the patient;

receiving a selection of a drug from the set of historical drug therapy information;

associating a patient diagnosis with a drug;

automatically calculating dispensing information for the drug based on a set of

administration instructions, a last fill date, a dispensed data, and a remaining quantity;

automatically calculating patient compliance based on the remaining quantity; and

generating a medication planner associated with the patient.

74. (New) The computer-readable media of claim 72, wherein creating a current drug

therapy plan for a patient using a clinical database comprises:

receiving a selection of the patient from a clinician, the patient not already existing in the

clinical database;

- 7 -

Appln. No. 09/900,278 Office Action dated 03/20/2008

Reply to OA dated 06/19/2008

receiving an identification of a drug in the current drug therapy plan associated with the

patient;

retrieving a set of information associated with the drug using the clinical database;

associating a patient diagnosis with the drug;

receiving a set of prescribed dose and frequency information;

receiving a last fill date, a dispensed date, and a remaining quantity;

automatically calculating patient compliance; and

generating a medication planner associated with the patient.

75. (New) The computer-readable media of claim 73, wherein evaluating the current drug

therapy plan comprises:

retrieving a set of clinical data associated with a drug in the current drug therapy plan

from the clinical database;

checking the drug against one or more allergy conditions associated with the patient and

flagging any detected cross-allergies;

checking the drug's contra-indications against the patient's disease states and flagging

any detected contra-indications;

checking the dose specified for the drug against the recommended dose and flagging any

dosage outside the recommended range;

comparing the drug against other drugs in the current drug therapy plan to determine

whether the drug is a therapeutic duplication;

checking a diagnostic profile for the patient for untreated conditions; and

- 8 -

DO NOT ENTER: /NS/ 09900278 - GAU: 3626

Appln. No. 09/900,278

Office Action dated 03/20/2008

Reply to OA dated 06/19/2008

analyzing the current drug therapy plan to determine if there are any drug interactions

between two or more drugs.

76. (New) The computer-readable media of claim 75, wherein assessing the current drug

therapy plan comprises:

presenting to a clinician one or more categories of assessment information,

wherein each category includes a problem description, an intervention documentation, a

recommendation, a response to documentation, and an action date.

77. (New) The computer-readable media of claim 76, wherein the one or more categories of

assessment information include at least one of: (i) untreated medical condition; (ii) drugs without

medical indication; (iii) dosage, route, frequency and therapy duration; (iv) therapeutic

duplication; (v) drug-disease contra-indications; (vi) drug interactions; (vii) drug

allergies/intolerance; (viii) adverse drug reactions; (ix) medication safety efficacy issues; (x)

patient compliance; (xi) patient knowledge/education needs; and (xii) social/financial

considerations.

78. (New) The computer-readable media of claim 77, wherein constructing an optimization

plan to optimize the current drug therapy plan comprises:

receiving a selection of a disease state associated with the patient;

receiving a selection of one or more monitoring parameters;

receiving a statement of the patient's health care needs;

- 9 -

09900278 - GAU: 3626

Appln. No. 09/900,278

Office Action dated 03/20/2008

Reply to OA dated 06/19/2008

receiving a selection setting pharmaceutical goals and recommended optimal therapy for

the patient;

monitoring the outcomes of the optimized drug therapy plan; and

presenting the optimized drug therapy plan.

79. (New) The computer-readable media of claim 78, wherein the one or more monitoring

parameters include at least one of a symptom, a disease issue, a measurement, and an adherence

rating.

80. (New) The computer-readable media of claim 79, wherein construction of the

optimization plan is facilitated using at least one of a care plan template, a care plan protocol, a

communications library, and an online knowledge database.

81. (New) One or more computer-readable media having computer-usable instructions

embodied thereon for performing a method of managing patient compliance and intervention, the

method comprising:

receiving an indication from a clinician that a patient may not be complying with a

current drug therapy plan;

presenting the clinician with one or more major problem areas, each problem area

outlining one or more possibilities for non-compliance;

receiving a selection from the clinician of at least one of the one or more possibilities for

non-compliance that best describes the reasons for the patient's non-compliance;

- 10 -

DO NOT ENTER: /NS/ 09900278 - GAU: 3626

Appln. No. 09/900,278

Office Action dated 03/20/2008

Reply to OA dated 06/19/2008

presenting the clinician with one or more major action areas, each action area outlining

one or more possible actions;

receiving a selection from the clinician of at least one of the one or more possible actions

that represent at least one intervention likely to enhance the patient's compliance; and

storing a set of compliance information and a set of intervention information on a clinical

database in association with the patient and the patient's current drug therapy plan.

82. (New) The computer-readable media of claim 81, wherein the set of compliance

information and the set of intervention information is stored by prompting the clinician with one

or more forms and storing the forms with information added by the clinician.

- 11 -